




HOOGENBOOM

SETTING THE STANDARD SINCE 1983



HOOGENBOOM VALVES B.V.


Amfoor 1 - 4421 SE Kapelle (NL) | T +31 113 561 967 | F +31 113 563 267 | E info@hoogenboomvalves.com





HOOGENBOOM

SETTING THE STANDARD SINCE 1983



HOOGENBOOM VALVES B.V.


Amfoor 1 - 4421 SE Kapelle (NL) | T +31 113 561 967 | F +31 113 563 267 | E info@hooogenboomvalves.com





HOOGENBOOM

SETTING THE STANDARD SINCE 1983



CONTROL CHARACTERISTIC OF
H.I.P BUTTERFLY VALVES

HOOGENBOOM VALVES B.V.

Amfoor 1 - 4421 SE Kapelle (NL) | T +31 113 561 967 | F +31 113 563 267 | E info@hoozenboomvalves.com





HOOGENBOOM

SETTING THE STANDARD SINCE 1983

\varnothing	HOOGENBOOM Kv 90° INDICATIEF
100	765
150	1725
200	3820
250	4980
300	7570
350	9160
400	11800
450	15200
500	18500
600	25700
700	33700
800	44500
900	54250
1000	72500
1200	85650
1400	105000
1500	120000
1600	133000
1800	175000
2000	210000

HOOGENBOOM VALVES B.V.

Amfoor 1 - 4421 SE Kapelle (NL) | T +31 113 561 967 | F +31 113 563 267 | E info@hoogenboomvalves.com

